

SAFETY DATA SHEET

1. Identification

Product identifier	EasySculpt Clay Part B (Hardener)		
Other means of identification			
SDS number			
Product code	02616, 02664		
Recommended use	Arts and Crafts		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/Distributor information			
Company name	Environmental Technology, Inc.		
Address	300 S. Bay Depot Road Fields Landing CA 95537		
Telephone	Telephone number	707-443-9323	
E-mail	mail@eti-usa.com		
Contact person	Technical Director		
Emergency phone number	CHEMTREC	800-424-9300	

2. Hazard(s) identification

Physical hazards	Not classified.		
Health hazards	Acute toxicity, oral	Category 4	
	Skin corrosion/irritation	Category 1	
	Serious eye damage/eye irritation	Category 1	
	Sensitization, skin	Category 1	
	Reproductive toxicity (fertility, the unborn child)	Category 2	
OSHA defined hazards	Not classified.		
Label elements			



Signal word	Danger		
Hazard statement	Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of damaging the unborn child. Suspected of damaging fertility.		
Precautionary statement			
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection.		
Response	If swallowed: Rinse mouth. Do not induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see this label).		
Storage	Store locked up.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None known.		

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Polyamine Resin	Proprietary	< 20
Nonyl Phenol Compound	Proprietary	< 15
Talc	Proprietary	< 15
Amino Piprazine Compound	Proprietary	< 5
Non Crystalline Silica	Proprietary	< 5
Glycol Ether Compound	Proprietary	< 3
Orange Oils	Proprietary	< 3
Phenol Derivative	Proprietary	< 3
Crystalline Silica	Proprietary	< 0.1

The identities of the materials in this product are withheld as a trade secret (29CFR1910.1210(i)) and are available to a physician or paramedical personnel in a emergency situation.

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation	If inhaled, remove to fresh air. For breathing difficulties, oxygen may be necessary. Get medical attention if symptoms occur.
Skin contact	Wash contaminated clothing before reuse. Rinse skin thoroughly with lukewarm water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes, lifting upper and lower eyelids occasionally. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Call a physician or Poison Control Center immediately.
Most important symptoms/effects, acute and delayed	Contact can cause corrosive burns, corneal damage, and blindness. Itching, redness, swelling, burning or blistering of skin. Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract. May cause an allergic skin reaction. Dermatitis. Rash. Suspected of damaging fertility or the unborn child.
Indication of immediate medical attention and special treatment needed	Exposure may aggravate pre-existing skin disorders. Treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Water. Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move container from fire area if it can be done without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not get in eyes, on skin, on clothing. Keep unnecessary personnel away. Keep out of low areas. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Do not breathe dust. Avoid dust formation.

Methods and materials for containment and cleaning up

Keep unnecessary personnel away. This product is miscible in water. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Collect and dispose of spillage as indicated in section 13 of the SDS. Prevent entry into waterways, sewer, basements or confined areas.

Never return spills to original containers for re-use.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground. Contact local authorities in case of spillage to drain/aquatic environment.

7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not get this material in your eyes, on your skin, or on your clothing. Avoid contact during pregnancy/while nursing. Provide adequate ventilation. Use personal protective equipment as required. Wash contaminated clothing before reuse. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Store locked up. Store in tightly closed original container in a dry, cool and well-ventilated place. Store away from incompatible materials, see Section 10 of the SDS.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Glycol Ether Compound (CAS Proprietary)	PEL	600 mg/m ³ 100 ppm

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
Crystalline Silica (CAS Proprietary)	TWA	0.3 mg/m ³	Total dust.
		0.1 mg/m ³	Respirable.
		2.4 millions of particle	Respirable.
Non Crystalline Silica (CAS Proprietary)	TWA	0.8 mg/m ³	
Talc (CAS Proprietary)	TWA	20 mppcf	
		0.3 mg/m ³	Total dust.
		0.1 mg/m ³	Respirable.
		20 millions of particle	
		2.4 millions of particle	Respirable.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Crystalline Silica (CAS Proprietary)	TWA	0.025 mg/m ³	Respirable fraction.
Glycol Ether Compound (CAS Proprietary)	STEL	150 ppm	
	TWA	100 ppm	
Talc (CAS Proprietary)	TWA	2 mg/m ³	Respirable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Crystalline Silica (CAS Proprietary)	TWA	0.05 mg/m ³	Respirable dust.
Glycol Ether Compound (CAS Proprietary)	STEL	900 mg/m ³	
	TWA	150 ppm 600 mg/m ³ 100 ppm	
Non Crystalline Silica (CAS Proprietary)	TWA	6 mg/m ³	
Talc (CAS Proprietary)	TWA	2 mg/m ³	Respirable.
Biological limit values	No biological exposure limits noted for the ingredient(s).		
Exposure guidelines	No exposure standards allocated. Use personal protective equipment as required. Keep working clothes separately.		

US - California OELs: Skin designation

Glycol Ether Compound (CAS Proprietary) Can be absorbed through the skin.

US - Tennessee OELs: Skin designation

Glycol Ether Compound (CAS Proprietary) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Glycol Ether Compound (CAS Proprietary) Can be absorbed through the skin.

US. NIOSH: Pocket Guide to Chemical Hazards

Glycol Ether Compound (CAS Proprietary) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Glycol Ether Compound (CAS Proprietary) Can be absorbed through the skin.

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. Wear appropriate chemical resistant clothing to prevent any possibility of skin contact.

Respiratory protection If ventilation is insufficient, suitable respiratory protection must be provided.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Wash at the end of each work shift and before eating, smoking and using the toilet.

9. Physical and chemical properties

Appearance	Solid.
Physical state	Solid.
Form	Not available.
Color	Off-white
Odor	Minimal, slight orange.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.

Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	> 1 (air=1).
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Slightly Soluble (0.1-1%)
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport. Read and follow manufacturer's recommendations.
Chemical stability	Stable under normal temperature conditions and recommended use.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Reacts violently with strong acids. This product may react with oxidizing agents. Do not mix with other chemicals. Contact with incompatible materials. Avoid incompatible materials and intense heat.
Incompatible materials	Acids. Strong oxidizing agents. Oxidizing agents.
Hazardous decomposition products	None expected under normal conditions of use.

11. Toxicological information

Information on likely routes of exposure

Ingestion	Under normal conditions of intended use, this material does not pose a risk to health. Harmful if swallowed. Causes digestive tract burns.
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard. When heated, the vapors/fumes given off may cause respiratory tract irritation.
Skin contact	Causes severe skin burns. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract. May cause an allergic skin reaction. Dermatitis. Rash. Contact can cause corrosive burns, corneal damage, and blindness. Itching, redness, swelling, burning or blistering of skin.

Information on toxicological effects

Acute toxicity Harmful if swallowed. May cause digestive tract burns.

Components	Species	Test Results
Amino Piprazine Compound (CAS Proprietary)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	880 mg/kg

Components	Species	Test Results
Glycol Ether Compound (CAS Proprietary)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	9.5 g/kg
<i>Oral</i>		
LD50	Rat	5.35 g/kg
Non Crystalline Silica (CAS Proprietary)		
Acute		
<i>Oral</i>		
LD50	Rat	3160 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation	Corrosive to skin and eyes.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory or skin sensitization	
Respiratory sensitization	Due to partial or complete lack of data the classification is not possible.
Skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Product may contain small amounts of crystalline silica. Crystalline silica has been classified by IARC, NTP and ACGIH as a known human carcinogen and suspected human carcinogen respectively. Exposures to respirable crystalline silica are not expected during the normal use of this product.
IARC Monographs. Overall Evaluation of Carcinogenicity	
Crystalline Silica (CAS Proprietary)	1 Carcinogenic to humans.
Non Crystalline Silica (CAS Proprietary)	3 Not classifiable as to carcinogenicity to humans.
Talc (CAS Proprietary)	3 Not classifiable as to carcinogenicity to humans.
NTP Report on Carcinogens	
Crystalline Silica (CAS Proprietary)	Known To Be Human Carcinogen.
Reproductive toxicity	Possible reproductive hazard. Possible risk of harm to the unborn child. Possible risk of impaired fertility.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Due to the high viscosity the product is not an aspiration hazard.
Chronic effects	Prolonged exposure may cause chronic effects. Possible adverse reproductive and developmental effects.

12. Ecological information

Ecotoxicity	Expected to be very toxic to aquatic organisms. May cause long-term adverse effects in the environment.
--------------------	---------------------------------------------------------------------------------------------------------

Components	Species	Test Results
Amino Piprazine Compound (CAS Proprietary)		
Aquatic		
Fish	LC50	Fathead minnow (<i>Pimephales promelas</i>) 1950 - 2460 mg/l, 96 hours
Nonyl Phenol Compound (CAS Proprietary)		
Aquatic		
Crustacea	EC50	Clam (<i>Mulinia lateralis</i>) 0.0379 mg/l, 48 hours
Fish	LC50	Winter flounder (<i>Pleuronectes americanus</i>) 0.017 mg/l, 96 hours

Components	Species	Test Results	
Polyamine Resin (CAS Proprietary)			
Aquatic			
<i>Chronic</i>			
Algae	NOEC	Algae	0.32 mg/l, 72 hours
Talc (CAS Proprietary)			
<i>Acute</i>			
	EC50/EC90	Algae - Skeletonema costatum	> 10000 mg/l, 72 hours, WAF
	NOEC	Algae - Skeletonema costatum	3200 mg/l, 72 hours, WAF
Aquatic			
<i>Acute</i>			
Crustacea	LC50/LC100/LC90	Crustacea	> 10000 mg/l, 48 hours, WAF
	NOEC	Crustacea	10000 mg/l, 48 hours, WAF
Fish	LC50 (Limit)	Flatfish, flounder (Scophthalmus maximus)	> 10000 mg/l, 96 hours, WAF
Other	LC50	Corophium volutator	> 11979.7 mg/kg, 10 days, WAF
	NOEC	Corophium volutator	11970.7 mg/kg, 10 days, WAF

* Estimates for product may be based on additional component data not shown.

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available on bioaccumulation.
Mobility in soil	No data available.
Other adverse effects	None known.

13. Disposal considerations

Disposal instructions	Dispose in accordance with applicable federal, state, and local regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Do not allow this material to drain into sewers/water supplies.
Contaminated packaging	Dispose in accordance with applicable federal, state, and local regulations.

14. Transport information

DOT

UN number	UN1759
UN proper shipping name	Corrosive solids, n.o.s. (Nonyl Phenol Mixture)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	III
Special precautions for user	Not available.
Special provisions	128, IB8, IP3, T1, TP33
Packaging exceptions	154
Packaging non bulk	213
Packaging bulk	240

IATA

UN number	UN1759
UN proper shipping name	Corrosive solids, n.o.s. (Nonyl Phenol Mixture)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	III
Packaging exceptions: 2.7.2.1	

Environmental hazards No.
Special precautions for user Not available.

IMDG

UN number UN1759
UN proper shipping name Corrosive solids, n.o.s. (Nonyl Phenol Mixture)
Transport hazard class(es)
Class 8
Subsidiary risk -
Label(s) 8
Packing group III
Packaging exceptions: 3.4.1
Special provisions: 223, 274

Environmental hazards
Marine pollutant No.

EmS F-A, S-B

Special precautions for user Not available.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not available.

15. Regulatory information

US federal regulations This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication). All components are listed on or exempt from the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Amino Piprazine Compound (CAS Proprietary)
Crystalline Silica (CAS Proprietary)
Glycol Ether Compound (CAS Proprietary)
Non Crystalline Silica (CAS Proprietary)
Talc (CAS Proprietary)

US. New Jersey Worker and Community Right-to-Know Act

Amino Piprazine Compound (CAS Proprietary)
Crystalline Silica (CAS Proprietary)
Glycol Ether Compound (CAS Proprietary)

Talc (CAS Proprietary)

US. Pennsylvania Worker and Community Right-to-Know Law

Amino Piprazine Compound (CAS Proprietary)

Crystalline Silica (CAS Proprietary)

Glycol Ether Compound (CAS Proprietary)

Non Crystalline Silica (CAS Proprietary)

Talc (CAS Proprietary)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Crystalline Silica (CAS Proprietary)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).


16. Other information, including date of preparation or last revision

Issue date 06-May-2016

Revision date -

Version # 01

NFPA Ratings



Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available.