

SAFETY DATA SHEET

1. Identification

Product identifier Envirotex Jewelry Clay Part A (Resin)

Other means of identification

SDS number 702604

Product code 02604M, 02604, 02608, 02632, 02650.

Recommended use Arts and Crafts

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Environmental Technology, Inc.

Address 300 S. Bay Depot Road
Fields Landing
CA 95537

Telephone Telephone number 707-443-9323

E-mail mail@eti-usa.com

Contact person Technical Director

Emergency phone number CHEMTREC 800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2A
Sensitization, skin Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

Precautionary statement

Prevention Avoid breathing mist or vapor. Wear protective gloves/eye protection. Contaminated work clothing must not be allowed out of the workplace. Wash thoroughly after handling.

Response If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Specific treatment (see this label). Take off contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information Not applicable.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Epoxy Resin	Proprietary	<50

Propylene Carbonate Compound	Proprietary	<25
Amorphous Silica	Proprietary	<5
Oxirane Compound	Proprietary	<1
Talc	Proprietary	<1
Crystalline Silica	Proprietary	< 0.1

The identities of the materials in this product are withheld as a trade secret (29CFR1910.1210(i)) and are available to a physician or paramedical personnel in a emergency situation.

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist. Get medical attention if any discomfort continues.
Skin contact	Remove contaminated clothing. Wash skin thoroughly with soap and water for several minutes. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Contact may produce eye irritation with associated redness, swelling, tears and pain. Contact causes skin irritation. May cause sensitization by skin contact. Symptoms include redness, itching and pain. Rash. Dermatitis.
Indication of immediate medical attention and special treatment needed	Exposure may aggravate pre-existing skin disorders. Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Water. Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move container from fire area if it can be done without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Avoid contact with skin and eyes. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	Keep unnecessary personnel away. This product is miscible in water. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
Environmental precautions	Never return spills in original containers for re-use. Avoid discharge into drains, water courses or onto the ground. Avoid discharge into storm drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid breathing mists or vapors. Avoid contact with eyes, skin, and clothing. Keep out of reach of children. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store away from incompatible materials (see Section 10 of the SDS). Store in tightly closed original container in a dry, cool and well-ventilated place. Read and follow manufacturer's recommendations.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
Amorphous Silica (CAS Proprietary)	TWA	0.8 mg/m ³	
Crystalline Silica (CAS Proprietary)	TWA	20 mppcf	
		0.3 mg/m ³	Total dust.
Talc (CAS Proprietary)	TWA	0.1 mg/m ³	Respirable.
		2.4 mppcf	Respirable.
		0.3 mg/m ³	Total dust.
		0.1 mg/m ³	Respirable.
		20 mppcf	
		2.4 mppcf	Respirable.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Crystalline Silica (CAS Proprietary)	TWA	0.025 mg/m ³	Respirable fraction.
Talc (CAS Proprietary)	TWA	2 mg/m ³	Respirable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Amorphous Silica (CAS Proprietary)	TWA	6 mg/m ³	
Crystalline Silica (CAS Proprietary)	TWA	0.05 mg/m ³	Respirable dust.
Talc (CAS Proprietary)	TWA	2 mg/m ³	Respirable.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

No exposure standards allocated. Use personal protective equipment as required. Keep working clothes separately.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Chemical resistant gloves.

Skin protection

Other

Wear appropriate chemical resistant clothing. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. Wear appropriate chemical resistant clothing to prevent any possibility of skin contact.

Respiratory protection

No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Wash at the end of each work shift and before eating, smoking and using the toilet.

9. Physical and chemical properties

Appearance Liquid (paste or putty).

Physical state Liquid.

Form Liquid.

Color Grey to white.

Odor Minimal. Not distinct.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling range Not available.

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density > 1 (air = 1)

Relative density Not available.

Solubility(ies)

Solubility (water) Slightly Soluble (0.1-1%)

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

VOC (Weight %) 0 %

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport. Read and follow manufacturer's recommendations.

Chemical stability Stable under normal temperature conditions and recommended use.

Possibility of hazardous reactions Hazardous polymerization does not occur.

Conditions to avoid Contact with incompatible materials. Avoid high temperatures.

Incompatible materials Strong oxidizing agents. Reacts violently with strong acids. Reacts violently with strong bases. Avoid contact with water and liquids. Do not allow molten product to contact water or other liquids. This can cause violent reactions.

Hazardous decomposition products No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation of vapors or mists of the product may be irritating to the respiratory system.
Skin contact	Causes skin irritation. May cause sensitization by skin contact.
Eye contact	Causes eye irritation.
Ingestion	Under normal conditions of intended use, this material does not pose a risk to health. May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Contact may produce eye irritation with associated redness, swelling, tears and pain. Causes skin irritation. May cause sensitization by skin contact. Symptoms include redness, itching and pain. Rash. Dermatitis.

Information on toxicological effects

Acute toxicity Not expected to be a hazard under normal conditions of intended use. May be harmful if swallowed.

Components	Species	Test Results
Amorphous Silica (CAS Proprietary)		
Acute		
<i>Oral</i>		
LD50	Rat	3160 mg/kg
Propylene Carbonate Compound (CAS Proprietary)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 5 mg/l
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Resins of this type, liquid resins based on BisPhenolA/Epichlorohydrin (Epoxy Resin), have proved to be inactive when tested by in vivo mutagenicity assays.

Carcinogenicity Product may contain small amounts of crystalline silica. Crystalline silica has been classified by IARC, NTP and ACGIH as a known human carcinogen and suspected human carcinogen respectively. Exposures to respirable crystalline silica are not expected during the normal use of this product.

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous Silica (CAS Proprietary)	3 Not classifiable as to carcinogenicity to humans.
Crystalline Silica (CAS Proprietary)	1 Carcinogenic to humans.
Talc (CAS Proprietary)	3 Not classifiable as to carcinogenicity to humans.

NTP Report on Carcinogens

Crystalline Silica (CAS Proprietary)	Known To Be Human Carcinogen.
--------------------------------------	-------------------------------

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity Not classified.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Due to the high viscosity the product is not an aspiration hazard.
Chronic effects	Based on available data, the classification criteria are not met.

12. Ecological information

Ecotoxicity	Expected to be harmful to aquatic organisms. May cause long-term adverse effects in the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available on bioaccumulation.
Mobility in soil	No data available.
Other adverse effects	None known.

13. Disposal considerations

Disposal instructions	Dispose of in accordance with federal, provincial and local regulations. Do not discharge into drains, water courses or onto the ground.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	Not regulated.
Waste from residues / unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Dispose in accordance with applicable federal, state, and local regulations.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Amorphous Silica (CAS Proprietary)

Crystalline Silica (CAS Proprietary)

Talc (CAS Proprietary)

US. New Jersey Worker and Community Right-to-Know Act

Crystalline Silica (CAS Proprietary)

Talc (CAS Proprietary)

US. Pennsylvania Worker and Community Right-to-Know Law

Amorphous Silica (CAS Proprietary)

Crystalline Silica (CAS Proprietary)

Talc (CAS Proprietary)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

WARNING: This product contains chemicals known to the State of California to cause cancer. Oxirane, 2-(phenoxymethyl)- (CAS 122-60-1) <0.1%. Crystalline Silica (CAS Proprietary) < 0.1%

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. Phenol, 4,4'-(1-methylethylidene)bis (CAS 80-05-7) <0.1%.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Crystalline Silica (CAS Proprietary)

Oxirane, 2-(phenoxymethyl)- (CAS 122-60-1)

Phenol, 4,4'-(1-methylethylidene)bis (CAS 80-05-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	21-May-2016
Revision date	22-March-2016
Version #	02
HMIS® ratings	Health: 2 Flammability: 0 Physical hazard: 0

References

ACGIH
EPA: AQUIRE database
NLM: Hazardous Substances Data Base
US. IARC Monographs on Occupational Exposures to Chemical Agents
HSDB® - Hazardous Substances Data Bank
IARC Monographs. Overall Evaluation of Carcinogenicity
National Toxicology Program (NTP) Report on Carcinogens
ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available.