

# SAFETY DATA SHEET

## 1. Identification

**Product identifier** Enviroset 30 Minute Epoxy Glue - Resin

**Other means of identification**

**Product code** 30008, 30032, 30128

**Recommended use** Epoxy Glue

**Recommended restrictions** None known.

**Manufacturer/Importer/Supplier/Distributor information**

**Manufacturer**

**Company name** Environmental Technology, Inc.

**Address** 300 S. Bay Depot Road  
Fields Landing  
CA 95537, USA.

**Telephone number** 001 707-443-9323

**E-mail** mail@eti-usa.com

**Contact person** Technical Director

**Emergency phone number** 800-424-9300 (CHEMTREC)

## 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards**

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Sensitization, skin	Category 1
Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation

**Environmental hazards** Hazardous to the aquatic environment, acute hazard Category 2

Hazardous to the aquatic environment, long-term hazard Category 2

**OSHA defined hazards** Not classified.

**Label elements**



**Signal word** Warning

**Hazard statement** Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation. Toxic to aquatic life with long lasting effects.

**Precautionary statement**

**Prevention** Avoid breathing mist or vapor. Use only outdoors or in a well-ventilated area. Wear protective gloves/eye protection/face protection. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment.

**Response** If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.

**Storage** Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazard(s) not otherwise classified (HNOC)** None known.

Supplemental information None.

### 3. Composition/information on ingredients

#### Substances

Chemical name	Common name and synonyms	CAS number	%
Epoxy Resins		Proprietary	>50

**Composition comments** The manufacturer has claimed one or more hazardous ingredients as trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

#### Inhalation

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if needed. Do not give mouth-to-mouth resuscitation. Call a physician if symptoms develop or persist.

#### Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.

#### Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

#### Ingestion

Get medical attention if symptoms occur. Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having convulsions. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

#### Most important symptoms/effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. May cause respiratory irritation. Coughing.

#### Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

#### General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

### 5. Fire-fighting measures

#### Suitable extinguishing media

Use any media suitable for the surrounding fires.

#### Unsuitable extinguishing media

None known.

#### Specific hazards arising from the chemical

In a fire or if heated, a pressure increase will occur and the container may burst. During fire, gases hazardous to health may be formed such as: Carbon dioxide. Carbon monoxide. Halogenated compounds.

#### Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

#### Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes.

#### Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

#### General fire hazards

No unusual fire or explosion hazards noted.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Methods and materials for containment and cleaning up**

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

**Large Spills:** Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

**Small Spills:** Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions**

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

**7. Handling and storage**

**Precautions for safe handling**

Wear appropriate personal protective equipment. Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored, and processed. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid contact with eyes, skin, and clothing. Avoid breathing mist or vapor. Provide adequate ventilation. Avoid release to the environment. Do not reuse containers. Observe good industrial hygiene practices. Keep away from open flames, hot surfaces and sources of ignition.

**Conditions for safe storage, including any incompatibilities**

Store locked up. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store away from incompatible materials (see Section 10 of the SDS). Do not store this material in open or unlabeled containers. Keep away from heat, sparks and open flame. Keep in an area equipped with sprinklers.

**8. Exposure controls/personal protection**

**Occupational exposure limits**

No exposure limits noted for ingredient(s).

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines**

**US - California OELs: Skin designation**

2,3-EPOXYPROPYL PHENYL ETHER (CAS 122-60-1) Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation**

2,3-EPOXYPROPYL PHENYL ETHER (CAS 122-60-1) Can be absorbed through the skin.

**Appropriate engineering controls**

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Wear safety glasses with side shields (or goggles).

**Skin protection**

**Hand protection**

Wear appropriate chemical resistant gloves.

**Skin protection**

**Other**

Wear appropriate chemical resistant clothing.

**Respiratory protection**

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

**Thermal hazards**

Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

**9. Physical and chemical properties**

**Appearance**

Viscous liquid.

<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Clear.
<b>Odor</b>	None.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	500 °F (260 °C)
<b>Flash point</b>	484.0 °F (251.1 °C) Pensky-Martens Closed Cup (ASTM D 93)
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	0.03 mbar @ 77 °C(171 °F)
<b>Vapor density</b>	Not available.
<b>Relative density</b>	1.17
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Negligible.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport. Read and follow manufacturer's recommendations.
<b>Chemical stability</b>	Stable under normal temperature conditions and recommended use.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Contact with incompatible materials. Avoid high temperatures. Direct sunlight.
<b>Incompatible materials</b>	Strong oxidizing agents. Aliphatic amines. Reacts violently with strong acids. Reacts violently with strong bases. Avoid contact with water and liquids. Do not allow molten product to contact water or other liquids. This can cause violent reactions. Reacts with considerable heat release with some curing agents.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	May cause respiratory irritation.
<b>Skin contact</b>	Causes skin irritation. May cause an allergic skin reaction.
<b>Eye contact</b>	Causes serious eye irritation.
Epoxy Resins (CAS 25068-38-6)	Result: 405 Acute Eye Irritation/Corrosion (Score = 0). Species: Rabbit Result: Mild irritant Species: Rabbit Result: Redness of the Conjunctivae (Score = 0.7). Species: Rabbit

**Ingestion** Irritating to mouth, throat, and stomach.

**Symptoms related to the physical, chemical and toxicological characteristics** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. May cause respiratory irritation. Coughing.

**Information on toxicological effects**

**Acute toxicity** May cause an allergic skin reaction.

Product	Species	Test Results
---------	---------	--------------

Epoxy Resins (CAS Proprietary)

**Acute**

**Dermal**

LD50 Rat 2000 mg/kg

**Oral**

LD50 Rat 11400 mg/kg

**Skin corrosion/irritation** Causes skin irritation.

**Irritation Corrosion - Skin**

Epoxy Resins (CAS 25068-38-6)

Result: Edema 404 Acute Dermal Irritation/Corrosion (Score: 1 - 1.5)  
 Species: Rabbit  
 Result: Erythema/Eschar 404 Acute Dermal Irritation/Corrosion (Score:1.5 - 2).  
 Species: Rabbit  
 Result: Moderate irritant  
 Species: Rabbit  
 Test Duration: 24 hours  
 Result: Severe irritant  
 Species: Rabbit  
 Test Duration: 24 hours

**Serious eye damage/eye irritation** Causes serious eye irritation.

**Eye Contact**

Epoxy Resins (CAS 25068-38-6)

Result: 405 Acute Eye Irritation/Corrosion (Score = 0).  
 Species: Rabbit  
 Result: Mild irritant  
 Species: Rabbit  
 Result: Redness of the Conjunctivae (Score = 0.7).  
 Species: Rabbit

**Respiratory or skin sensitization**

**ACGIH sensitization**

PHENYL GLYCIDYL ETHER (PGE) (CAS 122-60-1) Dermal sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

2,3-EPOXYPROPYL PHENYL ETHER (CAS 122-60-1) 2B Possibly carcinogenic to humans.

**NTP Report on Carcinogens**

Not listed.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Not regulated.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure** May cause respiratory irritation.

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** Not an aspiration hazard.

## 12. Ecological information

**Ecotoxicity** Expected to be toxic to aquatic organisms. May cause long-term adverse effects in the environment.

Product		Species	Test Results
Epoxy Resins (CAS Proprietary)			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	LC50	Algae	> 11 mg/l, 72 hours
Crustacea	EC50	Water flea	2.1 mg/l, 48 hours 202 Daphnia sp. Acute Immobilization Test and Reproduction Test
	NOEC	Water flea	0.3 mg/l, 21 days 211 Daphnia Magna Reproduction Test
Fish	LC50	Fish	1.3 mg/l, 96 hours 203 Fish , Acute Toxicity Test

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** Potential to bioaccumulate is low.  
Log Pow = 2.64 - 3.78

**Bioconcentration factor (BCF)**  
Epoxy Resins (CAS 25068-38-6) 3 - 31

**Mobility in soil** No data available.

**Other adverse effects** None known.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. Transport information

### DOT

**UN number** UN3082  
**UN proper shipping name** Environmentally hazardous substances, liquid, n.o.s. (Liquid Epoxy Resin)  
**Transport hazard class(es)**  
**Class** 9  
**Subsidiary risk** -  
**Label(s)** 9  
**Packing group** III  
**Environmental hazards**  
**Marine pollutant** Yes  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.  
**Special provisions** 8, 146, 335, IB3, T4, TP1, TP29  
**Packaging exceptions** 155  
**Packaging non bulk** 203  
**Packaging bulk** 241

### IATA

**UN number** UN3082  
**UN proper shipping name** Environmentally hazardous substances, liquid, n.o.s. (Liquid Epoxy Resin)

**Transport hazard class(es)**  
**Class** 9  
**Subsidiary risk** -  
**Label(s)** 9  
**Packing group** III  
**Environmental hazards** Yes  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

**IMDG**

**UN number** UN3082  
**UN proper shipping name** Environmentally hazardous substances, liquid, n.o.s. (Liquid Epoxy Resin)  
**Transport hazard class(es)**  
**Class** 9  
**Subsidiary risk** -  
**Label(s)** 9  
**Packing group** III  
**Environmental hazards**  
**Marine pollutant** Yes  
**EmS** Not available.  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not established.

**General information** This material is regulated only in bulk (> 119 Gallons/450 L) sizes. Non-bulk (<=119 Gallons/450 L) shipments can be reclassified to "not regulated" for ground transportation.

**15. Regulatory information**

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**TSCA Chemical Action Plans, Chemicals of Concern**

4,4'-isopropylidenediphenol (CAS 80-05-7) Bisphenol A Action Plan

**CERCLA Hazardous Substance List (40 CFR 302.4)**

4,4'-isopropylidenediphenol (CAS 80-05-7) Listed.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** Yes

**Classified hazard categories** Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization  
 Specific target organ toxicity (single or repeated exposure)

**SARA 313 (TRI reporting)**

Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

4,4'-isopropylidenediphenol (CAS 80-05-7)

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Contains component(s) regulated under the Safe Drinking Water Act.

## US state regulations

### US. Massachusetts RTK - Substance List

2,3-EPOXYPROPYL PHENYL ETHER (CAS 122-60-1)

4,4'-isopropylidenediphenol (CAS 80-05-7)

### US. New Jersey Worker and Community Right-to-Know Act

2,3-EPOXYPROPYL PHENYL ETHER (CAS 122-60-1)

4,4'-isopropylidenediphenol (CAS 80-05-7)

### US. Pennsylvania Worker and Community Right-to-Know Law

2,3-EPOXYPROPYL PHENYL ETHER (CAS 122-60-1)

4,4'-isopropylidenediphenol (CAS 80-05-7)

### US. Rhode Island RTK

2,3-EPOXYPROPYL PHENYL ETHER (CAS 122-60-1)

### California Proposition 65



**WARNING:** This product can expose you to 2,3-EPOXYPROPYL PHENYL ETHER, which is known to the State of California to cause cancer, and 4,4'-isopropylidenediphenol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### California Proposition 65 - CRT: Listed date/Carcinogenic substance

2,3-EPOXYPROPYL PHENYL ETHER (CAS 122-60-1) Listed: October 1, 1990

### California Proposition 65 - CRT: Listed date/Female reproductive toxin

4,4'-isopropylidenediphenol (CAS 80-05-7) Listed: May 11, 2015

### US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

2,3-EPOXYPROPYL PHENYL ETHER (CAS 122-60-1)

4,4'-isopropylidenediphenol (CAS 80-05-7)

## International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date	18-March-2015
Revision date	23-January-2019
Version #	02
HMIS® ratings	Health: 2 Flammability: 1 Physical hazard: 0



**NFPA ratings****Disclaimer**

Environmental Technology, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.